#### امتحانات الشهادة الثانوية العامة فرع: الآداب والإنسانيات

وزارة التربية والتعليم العالي المديرية العامة للتربية دائرة الامتحانات الرسمية

عدد المسائل: ثلاث

ملاحظة: - يسمح باستعمال آلة حاسبة غير قابلة للبرمجة او اختزان المعلومات او رسم البيانات. - يستطيع المرشّح الإجابة بالترتيب الذي يناسبه (دون الالتزام بترتيب المسائل الواردة في المسابقة).

# مسابقة في مادة الرياضيات

المدة: ساعة

(باللغة الانكليزية)

•	•	•	•	•	• •	 	•	•	•	•	• •	• •	• •	• •	• •	 	 	 	 	 	•	•	•	•	• (	ىد	נ	Ý	1
																									•	قم	1	٠ -	1

#### I- (5 points)

Rami bought 3 shirts and 2 ties and paid 130 000 LL.

Bassem bought 2 shirts and 3 ties and paid 120 000 LL.

- 1) Calculate the price of <u>one shirt</u> and the price of <u>one tie</u>.
- 2) A store offers a 20% discount on the price of each shirt.
  - a) Calculate the <u>new price</u> of <u>one shirt</u> after this discount?
  - b) Rami bought <u>5 shirts</u> and <u>n ties</u>. Calculate n knowing that he paid 200 000 LL.

## II- (5 points)

A survey is done on 100 persons (40 men and 60 women) about their usage of three kinds of soaps. Soap A, Soap B and Soap C. The results are shown in the following table:

	Soap A	Soap B	Soap C	Total
Men	20	5	15	40
Women	15	20	25	60
Total	35	25	40	100

**One person** is randomly selected from this population:

Consider the following events:

A: « The person uses soap A »

 $B: \ll \text{ The person uses soap } B \gg$ 

M: « The person is a man ».

1) Calculate the following probabilities:

$$P(M)$$
 ;  $P(A \cap M)$  ;  $P(A / M)$ 

$$P(B \cup M)$$
;  $P(\overline{B})$ 

2) **Knowing that** the person <u>doesn't use soap</u> A. Calculate the probability that this person is a man.

### III- (10 points)

Consider the function f defined over  $]-\infty;1[$  as:

$$f(x) = \frac{4x^2 - x + 1}{x - 1}$$

Denote by (C) the representative curve of f in an orthonormal system  $(0; \vec{i}, \vec{j})$ .

- 1) a) **Determine**  $\lim_{\substack{x \to 1 \\ x < 1}} f(x)$ 
  - b) **Deduce** an equation of an asymptote (d) to (C).

2) a) f(x) can be written in the form  $f(x) = 4x + 3 + \frac{m}{x-1}$ .

Calculate the real number m.

- b) **Determine**  $\lim_{x \to -\infty} f(x)$ .
- c) Show that the line (D): y = 4x + 3 is an <u>oblique asymptote</u> to (C).
- 3) **Prove that**, for all x in  $]-\infty; 1[: f'(x) = \frac{4x(x-2)}{(x-1)^2}.$
- 4) Copy and complete the following table of variations of f.

X	$ -\infty $	1
f '(x)		
f (x)		

- 5) Write an equation of the tangent (T) to (C) at the point with abscissa -1.
- 6) **Draw** (d), (D) and the curve (C).
- 7) Solve graphically:  $f(x) \le -1$ .
- 8) **Solve** the equation: f(x) = 4x.